

Magnet Wire - Component

COMPANY**E325893****Craig Wire Products LLC**

1055 Shadix Industrial Way

Douglasville, GA 30134-3975 United States

Marking: Company name and model designation.

Note: For additional marking information, refer to the [Guide Information Page](#)

View model for additional information

Model(s): *CW200, HPAM, CW200PLUS, HDT3000, CW200q, QPAM, CW240HML, CW240SML, CW240QML, ML*

Model(s): *CW200PLUSSPG, CW200PLUSDPG, HDT3000/Daglas/Unvarnished*

Model(s): *CW200QSPG, CW200QDPG, HPAM/Daglas/Unvarnished*

Model(s): *CW200SPG, CW200DPG, QPAM/Daglas/Unvarnished*

Last Updated on 2026-03-10

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

7 Results : File Number: "E325893" X UL Category Control Number: "OBMW2" X

Print Email

<u>Document Name</u>	<u>Mark Designation</u>	<u>Cu/Al</u>	<u>ANSI Type</u>	<u>Temperature Class</u>	<u>[#] (see guide information)</u>	<u>Base Coat</u>	<u>Top Coat</u>	<u>Bond Coat</u>	<u>Volume(s)</u>
<u>CW200_HPAM</u>	CW200, HPAM	--	MW35-C	200	--	Polyester	Polyamide-imide	--	
		--	MW36-C	200	--	Polyester	Polyamide-imide	--	
<u>CW200PLUS_HDT3000</u>	CW200PLUS, HDT3000	--	MW35-C	200	--	Polyester	Polyamide-imide	--	
		--	MW36-C	200	--	Polyester	Polyamide-imide	--	
<u>CW200PLUSSPG, CW200PLUSDPG, HDT3000/Daglas/Unvarnished</u>	CW200PLUSSPG, CW200PLUSDPG, HDT3000/ @	--	--	--	--	Polyester	Polyamide-imide	--	
<u>CW200q_QPAM</u>	CW200q, QPAM	--	MW35-C	200	--	Polyester	Polyamide-imide	--	
		--	MW36-C	200	--	Polyester	Polyamide-imide	--	
<u>CW200QSPG, CW200QDPG, HPAM/Daglas/Unvarnished</u>	CW200QSPG, CW200QDPG, HPAM/ @	--	--	--	--	Polyester	Polyamide-imide	--	
<u>CW200SPG, CW200DPG, QPAM/Daglas/Unvarnished</u>	CW200SPG, CW200DPG, QPAM/ @	--	--	--	--	Polyester	Polyamide-imide	--	
<u>CW240HML, CW240SML, CW240QML, ML</u>	CW240HML, CW240SML, CW240QML, ML	--	MW16-C	240	--	Aromatic Polyimide	--	--	

Rows 1-7 of 7

1 of 1 pages



Model CW200, HPAM

File Number: E325893

COMPANY

Craig Wire Products LLC
1055 Shadix Industrial Way
Douglasville, GA 30134-3975 United States

MODEL INFO

CW200, HPAM

MAGNET WIRE

VALUE

Mark Designation CW200, HPAM

RATINGS

Cu/Al	ANSI Type	Temperature Class	[#] (see guide information)	Base Coat	Top Coat	Bond Coat
--	MW35-C	200	--	Polyester	Polyamide-imide	
--	MW36-C	200	--	Polyester	Polyamide-imide	

Report Date: 2009-08-10
Revision Date: 2025-03-28

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."



Model CW200PLUS, HDT3000

File Number: E325893

COMPANY

Craig Wire Products LLC
1055 Shadix Industrial Way
Douglasville, GA 30134-3975 United States

MODEL INFO

CW200PLUS, HDT3000

MAGNET WIRE

VALUE

Mark Designation CW200PLUS, HDT3000

RATINGS

Cu/Al	ANSI Type	Temperature Class	[#] (see guide information)	Base Coat	Top Coat	Bond Coat
--	MW35-C	200	--	Polyester	Polyamide-imide	
--	MW36-C	200	--	Polyester	Polyamide-imide	

Report Date: 2009-08-10
Revision Date: 2025-03-28

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."



Model CW200q, QPAM

File Number: E325893

COMPANY

Craig Wire Products LLC

1055 Shadix Industrial Way

Douglasville, GA 30134-3975 United States

MODEL INFO

CW200q, QPAM

MAGNET WIRE

VALUE

Mark Designation

CW200q, QPAM

RATINGS

Cu/Al	ANSI Type	Temperature Class	[#] (see guide information)	Base Coat	Top Coat	Bond Coat
--	MW35-C	200	--	Polyester	Polyamide-imide	
--	MW36-C	200	--	Polyester	Polyamide-imide	

Report Date: 2009-08-10
Revision Date: 2025-03-28

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."



Model CW240HML, CW240SML, CW240QML, ML

File Number: E325893

COMPANY

Craig Wire Products LLC
1055 Shadix Industrial Way
Douglasville, GA 30134-3975 United States

MODEL INFO

CW240HML, CW240SML, CW240QML, ML

MAGNET WIRE

VALUE

Mark Designation	CW240HML, CW240SML, CW240QML, ML
------------------	-------------------------------------

RATINGS

Cu/Al	ANSI Type	Temperature Class	[#] (see guide information)	Base Coat	Top Coat	Bond Coat
--	MW16-C	240	--	Aromatic Polyimide		

Report Date: 2012-08-31
Revision Date: 2025-03-28

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the UL Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."



Model CW200PLUSSPG, CW200PLUSDPG, HDT3000/Daglas/Unvarnished

File Number: E325893

COMPANY

Craig Wire Products LLC
1055 Shadix Industrial Way
Douglasville, GA 30134-3975 United States

MODEL INFO

CW200PLUSSPG, CW200PLUSDPG, HDT3000/Daglas/Unvarnished

MAGNET WIRE

VALUE

Mark Designation CW200PLUSSPG,
CW200PLUSDPG, HDT3000/
@

RATINGS

Cu/Al	ANSI Type	Temperature Class	[#] (see guide information)	Base Coat	Top Coat	Bond Coat
--	--	--	--	Polyester	Polyamide-imide	

Report Date: 2010-06-28
Revision Date: 2024-08-12

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."



Model CW200QSPG, CW200QDPG, HPAM/Daglas/Unvarnished

File Number: E325893

COMPANY

Craig Wire Products LLC
1055 Shadix Industrial Way
Douglasville, GA 30134-3975 United States

MODEL INFO

CW200QSPG, CW200QDPG, HPAM/Daglas/Unvarnished

MAGNET WIRE

VALUE

Mark Designation CW200QSPG, CW200QDPG,
HPAM/ @

RATINGS

Cu/Al	ANSI Type	Temperature Class	[#] (see guide information)	Base Coat	Top Coat	Bond Coat
--	--	--		Polyester	Polyamide-imide	

Report Date: 2010-06-28
Revision Date: 2024-08-12

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."



Model CW200SPG, CW200DPG, QPAM/Daglas/Unvarnished

File Number: E325893

COMPANY

Craig Wire Products LLC
1055 Shadix Industrial Way
Douglasville, GA 30134-3975 United States

MODEL INFO

CW200SPG, CW200DPG, QPAM/Daglas/Unvarnished

MAGNET WIRE

VALUE

Mark Designation CW200SPG, CW200DPG,
QPAM/ @

RATINGS

Cu/Al	ANSI Type	Temperature Class	[#] (see guide information)	Base Coat	Top Coat	Bond Coat
--	--	--		Polyester	Polyamide-imide	

Report Date: 2010-06-28
Revision Date: 2024-08-12

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the UL Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."